


Springtime

C'est le printemps

 **Patons**
Cotton
Club



2.

2





Springtime

1. Spring Mood	(shown on front cover)	page 6
2. Casual Chic	(shown on page 2)	page 7
3. Simply Textured	(shown on page 3)	page 9
4. Cables & Bobbles	(shown on page 4)	page 10
5. Point of View	(shown on page 21)	page 15
6. Quiet Moments	(shown on pages 22 and 23)	page 17
7. Gentle Charm	(shown on back cover)	page 18
Helpful Hints		page 20

Every effort has been taken to ensure the accuracy of these instructions. Patons, however, cannot accept responsibility for typographical errors or misinterpretation of instructions.

Please note: Needle conversion chart located on page 19.

**PATONS & BALDWIN'S CANADA INC.,
1001 ROSELAWN AVE., TORONTO M6B 1B8**

©Published by Patons & Baldwins Inc. 1987
Distributed in the U.S.A. by Susan Bates Inc., Chester, Connecticut 06412.

Printed in Canada

1. Spring Mood (shown on front cover)

SIZES AND MATERIALS:

	Small	Medium	Large
Bust measurement	30-32 ins (76-81 cm)	34-36 ins (86-91 cm)	38-40 ins (97-102 cm)
Measurement above ribbing (approx)	34 " (86 ")	36 " (91 ")	38 " (97 ")
Length from centre back	21½ " (55 ")	22½ " (57 ")	23½ " (60 ")

Patons Cotton Club (50 g)

Main colour	B	4 balls	5 balls	6 balls
Contrasting colour	A	3 "	3 "	4 "

Two 3¼ mm (U.S. 3) and two 4 mm (U.S. 6) knitting needles **or whichever needles you require to produce the tension given below.**

TENSION: 22 sts and 30 rows = 4 ins (10 cm) with 4 mm needles in stocking st.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus:—().

SPECIAL ABBREVIATION:

M1 = Make one stitch by picking up horizontal loop lying before next st and working into back of loop.

BACK: With A and 3¼ mm needles cast on 87 sts (M — 93 sts) (L — 99 sts).

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing for 3 ins (8 cm) ending with right side facing for next row and increasing 7 sts evenly across last row. 94 sts on needle (M — 100 sts) (L — 106 sts).

Note: Wind small balls of contrasting colours, one for each separate area of colour in the design. Start new colours at appropriate points. When changing colours twist the two colours around each other where they meet, on wrong side, to avoid a hole.

Change to 4 mm needles and work chart I in stocking st to end of chart reading **knit** rows from **right** to left and **purl** rows from **left** to right. Chart I shown on pages 12 and 13

FRONT: Work as given for back.

NECKBAND: Sew right shoulder seam. With right side of work facing, B and 3¼ mm needles, pick up and knit 82 sts (M — 86 sts) (L — 90 sts) down left front neck edge. M1 and mark this st for centre front of neck. Pick up and knit 82 sts (M — 86 sts) (L — 90 sts) up right front neck edge. Pick up and

knit 32 sts (M — 34 sts) (L — 36 sts) across back neck edge. 197 sts on needle (M — 207 sts) (L — 217 sts).

Next row: (Wrong side). K1. *P1. K1. Repeat from * to centre 5 sts. P2tog. P1. (P2tog tbl). Rib to end of row.


Next row: Rib to centre 5 sts. P2tog. K1. (P2tog tbl). Rib to end of row.

Repeat last 2 rows for 1½ ins (4 cm). Cast off in ribbing decreasing as before.

ARMBANDS: Sew left shoulder seam. With right side of work facing, B and 3¼ mm needles, pick up and knit 79 sts (M — 83 sts) (L — 87 sts) along sleeve edge.

Work 1½ ins (4 cm) in (K1. P1) ribbing as given for back beginning and ending on a 2nd row. Cast off in ribbing.

TO MAKE UP: Sew side and sleeve seams. Work Outline Stitch for veins and around leaves. **Do not press.**



Outline Stitch

2. Casual Chic (shown on page 2)

SIZES AND MATERIALS:	Small	Medium	Large
Bust measurement	30-32 ins (76-81 cm)	34-36 ins (86- 91 cm)	38-40 ins (97-102 cm)
Finished bust (approx)	36 " (91 ")	40 " (102 ")	44 " (109 ")
Length from top of shoulder (approx)	22 " (56 ")	23 " (58 ")	24 " (61 ")
Sleeve length (approx)	8 " (20 ")	8 " (20 ")	9 " (23 ")

Patons Cotton Club (50 g)

8 balls

8 balls

9 balls

Two 3 1/4 mm (U.S. 3) and two 4 mm (U.S. 6) knitting needles or whichever needles you require to produce the tension given below. 3 buttons. 1 stitch holder.

TENSION: 22 sts and 30 rows = 4 ins (10 cm) with 4 mm needles in stocking st.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus:—().

BACK: **With 3 1/4 mm needles cast on 89 sts (M—99 sts) (L—109 sts).

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing for 2 ins (5 cm) ending with right side facing for next row and increasing 15 sts evenly across last row. 104 sts on needle (M—114 sts) (L—124 sts).

Change to 4 mm needles and proceed in pattern as follows:—

1st row: (Right side). K0 (M—K1) (L—K2). *P2. K6. Repeat from * to end of row (M—last st. K1) (L—last 2 sts. K2).

2nd row: P0 (M—P1) (L—P2). *P5. K2. P1. Repeat from * to end of row (M—last st. P1) (L—last 2 sts. P2).

3rd row: K0 (M—K1) (L—K2). *K2. P2. K4. Repeat from * to end of row (M—last st. K1) (L—last 2 sts. K2).

4th row: P0 (M—P1) (L—P2). *P3. K2. P3. Repeat from * to end of row (M—last st. P1) (L—last 2 sts. P2).

5th row: K0 (M—K1) (L—K2). *K4. P2. K2. Repeat from * to end of row (M—last st. K1) (L—last 2 sts. K2).

6th row: P0 (M—P1) (L—P2). *P1. K2. P5. Repeat from * to end of row (M—last st. P1) (L—last 2 sts. P2).

7th row: K0 (M—K1) (L—K2). *K6. P2. Repeat from * to end of row (M—last st. K1) (L—last 2 sts. K2).

8th row: As 6th row.

9th row: As 5th row.

10th row: As 4th row.

11th row: As 3rd row.

12th row: As 2nd row.

These 12 rows complete one pattern.**

Continue in pattern until back from beginning measures approx 22 ins (56 cm), (M—23 ins)(58 cm), (L—24 ins)(61 cm) ending on a 4th or 10th row of pattern. Cast off.

Place markers 36 sts (M—40 sts) (L—45 sts) in from side edges on last row for back neck.

POCKET LINING: With 4 mm needles cast on 20 sts and work 3 ins (8 cm) in stocking st, ending with right side facing for next row. Leave these sts on a spare needle.

FRONT: Work from ** to ** as given for back.

Continue in pattern until front from beginning measures 14 ins (36 cm), (M—14 1/2 ins)(37 cm), (L—15 ins)(38 cm) ending with right side facing for next row.

To shape front: Next row: Pattern across 48 sts (M—53 sts) (L—58 sts) (front edge). **Turn.** Leave remaining sts on a spare needle.

Continue even in pattern until front from beginning measures 16 ins (41 cm), (M—16 1/2 ins)(42 cm), (L—17 ins)(43 cm) ending with right side facing for next row.

To place pocket: Next row: Pattern across 14 sts (M—17 sts) (L—19 sts). Slip next 20 sts onto a st holder for pocket opening. Knit across 20 sts of pocket lining from spare needle. Pattern to end of row.

Continue even in pattern until front from beginning measures 19 1/2 ins (50 cm), (M—

20 1/2 ins)(52 cm), (L - 21 1/2 ins)(55 cm) ending with **wrong** side facing for next row.

To shape neck: Next row: Cast off 6 sts (neck edge). Pattern to end of row. Work 1 row even in pattern.

Dec 1 st at neck edge on next 3 rows, then following 3 alternate rows (*M* and *L* - 4 alternate rows). 36 sts on needle (*M* - 40 sts) (*L* - 45 sts).

Continue even in pattern until front from beginning measures same length as back, ending on the same row of pattern. Cast off.

With right side of work facing, join yarn to remaining sts. Cast off 8 sts. Pattern to end of row.

Work to correspond to other side reversing all shapings and omitting all reference to pocket placement.

SLEEVES: With 3 1/4 mm needles cast on 75 sts (*M* - 85 sts) (*L* - 95 sts) and work 1 1/2 ins (4 cm) in (K1. P1) ribbing as given for back, ending with right side facing and increasing 13 sts evenly across last row. 88 sts on needle (*M* - 98 sts) (*L* - 108 sts).

Change to 4 mm needles and work in pattern as given for back until sleeve from beginning measures approx 8 ins (20 cm), (*M* - 8 ins)(20 cm), (*L* - 9 ins)(23 cm) ending on a 6th or 12th row of pattern. Cast off.

BUTTON BAND: With right side of work facing and 3/4 mm needles, pick up and knit 43 sts along left front edge from neck edge to cast off sts.

Next row: P1. *K1. P1. Repeat from * to end of row.

Next row: K1. *P1. K1. Repeat from * to end of row.

Repeat these 2 rows 4 times, then 1st row once. Cast off in ribbing.

On this band mark positions for 3 buttons evenly spaced, having top button 1/2 inch (1 cm) from neck edge and bottom button 1 inch (2.5 cm) from lower edge of band.

BUTTONHOLE BAND: With right side of work facing and 3/4 mm needles, pick up and knit 43 sts along right front edge from cast off sts to neck edge and work as given for button band for 5 rows.

Next row: *Rib to button position. Yfwd. K2tog. Repeat from * twice. Rib to end of row.

Work 5 rows (K1. P1) ribbing. Cast off in ribbing.

COLLAR: Sew shoulder seams. With right side of work facing, 3/4 mm needles and beginning at centre of buttonhole band, pick up and knit 27 sts (*M* - 29 sts) (*L* - 30 sts) up right front neck edge. Pick up and knit 33 sts (*M* and *L* - 35 sts) across back neck edge. Pick up and knit 27 sts (*M* - 29 sts) (*L* - 30 sts) down left front neck edge to centre of button band. 87 sts on needle (*M* - 93 sts) (*L* - 95 sts).

Work 3 1/2 ins (9 cm) in (K1. P1) ribbing as given for back beginning and ending on a 2nd row. Cast off in ribbing.

POCKET BORDER: With right side of work facing and 3/4 mm needles, knit across 20 sts from st holder of pocket. Work 3/4 inch (2 cm) in (K1. P1) ribbing, ending with right side facing for next row. Cast off in ribbing. Sew edges of pocket border in position on right side and pocket lining on wrong side.

TO MAKE UP: Place markers on front and back side edges 8 ins (20 cm), (*M* - 8 1/2 ins)(22 cm), (*L* - 9 1/2 ins)(24 cm) down from shoulder seams. Sew in sleeves between markers. Sew side and sleeve seams. Place buttonhole band over button band and sew in position to cast off sts. Sew buttons to correspond to buttonholes. **Do not press.**

3. Simply Textured (shown on page 3)

SIZES AND MATERIALS.

	Small		Medium		Large	
Bust measurement	30-32	ins (76-81 cm)	34-36	ins (86- 91 cm)	38-40	ins (97-102 cm)
Finished bust	37	" (94 ")	41	" (104 ")	44½	" (113 ")
Length from top of shoulder (approx)	21	" (53 ")	21½	" (55 ")	21½	" (55 ")
Sleeve length (approx)	8	" (20 ")	8	" (20 ")	8	" (20 ")

Patons Cotton Club (50g)

7 balls

8 balls

9 balls

Two 3¼ mm (U.S. 3) and two 4 mm (U.S. 6) knitting needles or whichever needles you require to produce the tension given below.

TENSION: 22 sts and 30 rows = 4 ins (10 cm) with 4 mm needles in stocking st.

The instructions are written for small size. Any change necessary for medium size (M) and large size (L) are written in brackets thus:—().

BACK: With 3¼ mm needles cast on 101 sts (M — 111 sts) (L — 121 sts).

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing for 2 ins (5 cm) ending with right side facing for next row and increasing 5 sts evenly across last row. 106 sts on needle (M — 116 sts) (L — 126 sts).

Change to 4 mm needles and proceed in pattern as follows:—

1st row: (Right side). Purl.

2nd row: K2. * [(K1. P1. K1) all in next st. P3tog] 3 times. K6 (M — K8) (L — K10). Repeat from * to last 14 sts. [(K1. P1. K1) all in next st. P3tog] 3 times. K2.

3rd row: Purl.

4th row: K2. * [P3tog. (K1. P1. K1) all in next st] 3 times. K6 (M — K8) (L — K10). Repeat from * to last 14 sts. [P3tog. (K1. P1. K1) all in next st] 3 times. K2.

These 4 rows complete one pattern.

Continue in pattern until work from beginning measures 18½ ins (47 cm), (M and L — 19 ins) (48 cm) ending with right side facing for next row.

Change to 3¼ mm needles and beginning with a purl row, proceed in reverse stocking st until work from beginning measures 21 ins (53 cm), (M and L — 21½ ins) (55 cm) ending with right side facing for next row. Cast off.

FRONT: Work exactly as given for back.

SLEEVES: With 3¼ mm needles cast on 95 sts (M — 93 sts) (L — 101 sts) and work 1 inch (2.5 cm) in (K1. P1) ribbing as given for back increasing 5 sts evenly across last row. 90 sts on needle (M — 98 sts) (L — 106 sts).

Change to 4 mm needles and proceed in pattern as follows:—

1st row: (Right side). Purl.

2nd row: K1. * (K1. P1. K1) all in next st. P3tog. Repeat from * to last st. K1.

3rd row: Purl.

4th row: K1. *P3tog. (K1. P1. K1) all in next st. Repeat from * to last st. K1.

These 4 rows complete one pattern.

Continue in pattern until sleeve from beginning measures 8 ins (20 cm) ending with right side facing for next row. Cast off.

TO MAKE UP: Sew shoulder seams leaving a 9 inch (23 cm) opening for neck. Place markers on front and back side edges 7½ ins (19 cm), (M — 8 ins) (20 cm), (L — 8½ ins) (22 cm) down from shoulder seams. Sew in sleeves between markers. Sew side and sleeve seams. **Do not press.**

4. Cables & Bobbles (shown on page 4)

SIZES AND MATERIALS:	Small	Medium	Large
Bust measurement	30-32 ins (76-81 cm)	34-36 ins (86-91 cm)	38-40 ins (97-102 cm)
Measurement above ribbing (approx)	35 " (89 ")	39 " (99 ")	43 " (109 ")
Length from top of shoulder	21 " (53 ")	22½ " (57 ")	24 " (61 ")

Patons Cotton Club (50g)

7 balls

7 balls

8 balls

Two 3¼ mm (U.S. 3) and two 4 mm (U.S. 6) knitting needles or whichever needles you require to produce the tension given below. 1 stitch holder. 1 cable needle or 1 double pointed needle.

TENSION: 21 sts and 36 rows = 4 ins (10 cm) with 4 mm needles in moss st.

SPECIAL ABBREVIATIONS:

MB = Make bobble as follows:- (K1. P1. K1. P1. K1) all in next st. **Turn.** K5. **Turn.** P5. Slip 2nd, 3rd, 4th then 5th st over 1st st.

C6F = Slip next 3 sts onto a cable needle and leave at front of work. K3, then K3 from cable needle.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus:—().

FRONT: **With 3¼ mm needles cast on 89 sts (M — 97 sts) (L — 109 sts).

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing for 2½ ins (6 cm) ending with right side facing for next row and increasing 4 sts evenly across last row. 93 sts on needle (M — 101 sts) (L — 113 sts). **

Change to 4 mm needles and proceed in pattern as follows:-

1st row: (Right side). P1. (K1. P1)17 times (M — 19 times) (L — 22 times) (moss st). *P1. K2tog. Yfwd. K6. Yfwd. (K2tog tbl). Repeat from * once. P1. **P1. K1. Repeat from ** to last st. P1 (moss st).

2nd row: P1. (K1. P1)17 times (M — 19 times) (L — 22 times). (K1. P1)twice. K1. **P1. K1. Repeat from ** to last st. P1.

3rd and 4th rows: As 1st and 2nd rows.

5th row: P1. (K1. P1)17 times (M — 19 times) (L — 22 times). *MB. K2tog. Yfwd. C6F. Yfwd. (K2tog tbl). Repeat from * once. MB. **P1. K1. Repeat from ** to last st. P1.

6th row: As 2nd row.

These 6 rows complete one pattern.

Continue in pattern until front from beginning measures 7 ins (18 cm), (M — 8 ins)(20 cm), (L — 9 ins)(23 cm) ending with right side facing for next row.

*** **To shape sides:** Keeping continuity of pattern inc 1 st each end of needle on next, then every following 8th row (M — 8th row) (L — 10th row) to 103 sts on needle (M — 113 sts) (L — 123 sts) taking increased sts into moss st.

Continue even in pattern until work from beginning measures 12½ ins (32 cm) (M — 14 ins)(36 cm), (L — 15 ins)(38 cm) ending with right side facing for next row. Place markers at each end of last row. ***

To shape neck: **Next row:** With right side of work facing pattern across 51 sts (M — 56 sts) (L — 61 sts) (neck edge). **Turn.** Leave remaining sts on a spare needle.

Work 1 row even in pattern.

Next row: Pattern to last 13 sts. Work 2tog (neck decrease). Pattern to end of row.

Continue decreasing 1 st in this manner every following 4th row to 36 sts on needle (M — 40 sts) (L — 44 sts).

Continue even in pattern until front from beginning measures 21 ins (53 cm) (M — 22½ ins)(57 cm), (L — 24 ins)(61 cm) ending with right side facing for next row.

To shape shoulder: Cast off 12 sts (M — 14 sts) (L — 16 sts) beginning next and following alternate row.

Work 1 row even in pattern. Cast off remaining 12 sts.

With right side of work facing, slip next st from spare needle onto a safety pin for centre st. Join yarn to remaining sts and pattern to end of row.

Work 1 row even in pattern.

Next row: Pattern across 11 sts. Work (2tog tbl) (neck decrease). Pattern to end of row.

Work to correspond to other side to shoulder shaping, ending with **wrong** side facing for next row.

To shape shoulder: Cast off 12 sts (*M* — 14 sts) (*L* — 16 sts) beginning next and following alternate row. Leave remaining 12 sts on a st holder.

BACK: Work from ** to ** as given for front.

Change to 4 mm needles and proceed in moss st as follows:-

1st row: (Right side). P1. *K1. P1. Repeat from * to end of row.

This row completes moss st pattern.

Continue in moss st pattern until back from beginning measures 7 ins (18 cm), (*M* — 8 ins)(20 cm), (*L* — 9 ins)(23 cm) ending with right side facing for next row.

Work from *** to *** as given for front.

Continue even in moss st pattern until back from beginning measures same length as front to shoulder shaping, ending with right side facing for next row.

To shape shoulder and back neck: Next row: Cast off 12 sts (*M* — 14 sts) (*L* — 16 sts). Pattern across 14 sts (*M* — 16 sts) (*L* — 18 sts) (neck edge). **Turn.**

Work 1 row even in pattern. Cast off remaining sts.

With right side of work facing, join yarn to remaining sts. Cast off 51 sts (*M* — 53 sts) (*L* — 55 sts). Pattern to end of row.

Work to correspond to other side reversing all shapings.

To make back border: Sew right shoulder seam. With right side of work facing, slip sts from front st holder onto 4 mm needles and continue in pattern until length sufficient to fit across back neck to left shoulder, ending with right side facing for next row. Cast off and sew in position.

NECKBAND: With right side of work facing and 3¼ mm needles, pick up and knit 64 sts (*M* — 64 sts) (*L* — 68 sts) down left front neck edge. Knit centre st from safety pin. Pick up and knit 64 sts (*M* — 64 sts) (*L* — 68 sts) up right front neck edge. Pick up and knit 30 sts (*M* — 32 sts) (*L* — 34 sts) across back border. 159 sts on needle (*M* — 161 sts) (*L* — 171 sts).

1st row: (Wrong side). *P1. K1. Repeat from * to centre 5 sts. P2tog. P1. (P2tog tbl). Rib to end of row.

2nd row: Rib to centre 5 sts. P2tog. K1. (P2tog tbl). Rib to end of row.

Repeat these 2 rows once, then 1st row once. Cast off in ribbing decreasing as before.

Sew left shoulder and neckband seam.

ARMBANDS: With right side of work facing and 3¼ mm needles, pick up and knit 109 sts (*M* — 109 sts) (*L* — 115 sts) evenly between markers on side edges.

Work 5 rows (K1. P1) ribbing as given for front beginning and ending on a 2nd row. Cast off in ribbing.

Sew side and armband seams. **Do not press.**

CHART I





CHART II



KEY

-  Knit on right side. Purl on wrong side
-  Purl on right side. Knit on wrong side
-  Bead placement
-  Outline Stitch

5. Point of View (shown on page 21)

SIZES AND MATERIALS:	Small	Medium	Large
Bust measurement	30-32 ins (76-81 cm)	34-36 ins (86- 91 cm)	38-40 ins (97-102 cm)
Finished bust	37 " (94 ")	40 " (102 ")	43 " (109 ")
Length from top of shoulder (approx)	22 " (56 ")	23 " (58 ")	24 " (61 ")
Sleeve length (approx)	18 " (46 ")	18½ " (47 ")	19 " (48 ")

Patons Cotton Club (50 g)

8 balls

9 balls

10 balls

Two 3¼ mm (U.S. 3) and two 4 mm (U.S. 6) knitting needles or whichever needles you require to produce the tension given below.

TENSION: 22 sts and 30 rows = 4 ins (10 cm) with 4 mm needles in stocking st.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus:—().

FRONT: ***With 3¼ mm needles cast on 91 sts (M — 99 sts) (L — 107 sts).

**** 1st row:** (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.**

Repeat these 2 rows (K1. P1) ribbing for 2 ins (5 cm) ending with right side facing for next row and increasing 12 sts evenly across last row. 103 sts on needle (M — 111 sts) (L — 119 sts).***

Change to 4 mm needles and proceed in stocking st until front from beginning measures 7½ ins (19 cm) ending with right side facing for next row.

Proceed in pattern as follows:—

1st row: (Right side). K50 (M — K54) (L — K58). Yfwd. Sl 1. K2tog. pssso. Yfwd. Knit to end of row.

2nd and alternate rows: Purl.

3rd row: As 1st row.

5th row: Knit.

7th row: K47 (M — K51) (L — K55). *Yfwd. Sl 1. K2tog. pssso. Yfwd. K3. Repeat from * once. Knit to end of row.

9th row: As 7th row.

11th row: Knit.

13th row: K44 (M — K48) (L — K52). *Yfwd. Sl 1. K2tog. pssso. Yfwd. K3. Repeat from * twice. Knit to end of row.

15th row: As 13th row.

17th row: Knit.

18th row: Purl.

Continue in this manner, working 3 more sts in pattern each side of centre on next, then

every following 6th row until 99 sts (M — 105 sts) (L — 111 sts) have been worked in pattern.

Work 5 rows even in pattern.

Change to 3¼ mm needles and work from ** to ** for 1¼ ins (3 cm). Cast off in ribbing.

BACK: Work from *** to *** as given for front

Change to 4 mm needles and proceed in stocking st until back from beginning measures same length as front to shoulder ribbing.

Change to 3¼ mm needles and work from ** to ** as given for front for 1¼ ins (3 cm). Cast off in ribbing.

SLEEVES: With 3¼ mm needles cast on 43 sts (M — 49 sts) (L — 53 sts) and work 2 ins (5 cm) in (K1. P1) ribbing as given for front, ending with right side facing for next row and increasing 20 sts evenly across last row. 63 sts on needle (M — 69 sts) (L — 73 sts).

Change to 4 mm needles and proceed in pattern as follows:—

1st row: (Right side). K3 (M — K3) (L — K2).

*Yfwd. Sl 1. K2tog. pssso. Yfwd. K3. Repeat from * to last 6 sts (M — last 6 sts) (L — last 5 sts). Yfwd. Sl 1. K2tog. pssso. Yfwd. Knit to end of row.

2nd and alternate rows: Purl.

3rd row: As 1st row.

5th row: Inc 1 st in 1st st. Knit to last st. Inc 1 st in last st.

7th row: K7 (M — K7) (L — K6). *Yfwd. Sl 1. K2tog. pssso. Yfwd. K3. Repeat from * to last 10 sts (M — last 10 sts) (L — last 9 sts). Yfwd. Sl 1. K2tog. pssso. Yfwd. Knit to end of row.

9th row: As 7th row.

11th row: Inc 1 st in 1st st. Knit to last st. Inc 1 st in last st.

13th row: K11 (*M* — *K11*) (*L* — *K10*). *Yfwd. Sl 1. K2tog. pssso. Yfwd. K3. Repeat from * to last 14 sts (*M* — last 14 sts) (*L* — last 13 sts). Yfwd. Sl 1. K2tog. pssso. Yfwd. Knit to end of row.

15th row: As 13th row.

17th row: Inc 1 st in 1st st. Knit to last st. Inc 1 st in last st.

18th row: Purl.

Continue in this manner, working 3 sts **less** in pattern each side of centre on next, then every following 6th row to 3 sts in pattern at same time, inc 1 st each end of needle every 6th row from previous increase to 83 sts on needle (*M* — 91 sts) (*L* — 97 sts).

Continue in stocking st increasing as before to 99 sts on needle (*M* — 107 sts) (*L* — 111 sts).

Continue even in stocking st until sleeve from beginning measures 18 ins (46 cm), (*M* — 18½ ins)(47 cm), (*L* — 19 ins)(48 cm) ending with right side facing for next row. Cast off.

TO MAKE UP: Sew shoulder seams leaving a 9 inch (23 cm) opening for neck. Place markers on front and back side edges 9 ins (23 cm), (*M* — 9½ ins)(24 cm), (*L* — 10 ins)(25 cm) down from shoulder seams. Sew in sleeves between markers. Sew side and sleeve seams. **Do not press.**

6. Quiet Moments (shown on pages 22 and 23)

SIZES AND MATERIALS:	Small	Medium	Large
Bust measurement	30-32 ins (76-81 cm)	34-36 ins (86- 91 cm)	38-40 ins (97-102 cm)
Finished bust (approx)	37 " (94 ")	42 " (107 ")	46 " (117 ")
Length from top of shoulder	23 " (58 ")	24 " (61 ")	25 " (64 ")

Patons Cotton Club (50g)

6 balls

7 balls

8 balls

Two 3¼ mm (U.S. 3) and two 4 mm (U.S. 6) knitting needles or whichever needles you require to produce the tension given below. Approx 85 beads if desired.

TENSION: 22 sts and 30 rows = 4 ins (10 cm) with 4 mm needles in stocking st.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus: — ().

SPECIAL ABBREVIATION:

M1 = Make one stitch by picking up horizontal loop lying before next st and working into back of loop.

FRONT: With 3¼ mm needles cast on 87 sts (M — 97 sts) (L — 107 sts).

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing for 2½ ins (6 cm) ending with right side facing for next row and increasing 3 sts evenly across last row. 90 sts on needle (M — 100 sts) (L — 110 sts).

Change to 4 mm needles and work chart II to end of chart reading **right** side rows from **right** to left and **wrong** side rows from **left** to right. Chart II shown on page 14

Work outline stitch around petals and leaves as indicated on chart (see diagram).

BACK: Work as given for front omitting all reference to outline stitch and keeping continuity of reverse stocking st stripes throughout.

NECKBAND: Sew right shoulder seam. With right side of work facing and 3¼ mm needles, pick up and knit 72 sts (M — 76 sts) (L — 80 sts) down right front neck edge. M1 and mark this st for centre front of neck. Pick up and knit 72 sts (M — 76 sts) (L — 80 sts) up left front neck edge. Pick up and knit 32 sts (M — 34 sts) (L — 36 sts) across back

neck edge. 177 sts on needle (M — 187 sts) (L — 197 sts).

Next row: (Wrong side). K1. *P1. K1. Repeat from * to centre 5 sts. P2tog. P1. (P2tog tbl). Rib to end of row.


Next row: Rib to centre 5 sts. P2tog. K1. (P2tog tbl). Rib to end of row.

Repeat last 2 rows for 1¼ ins (3 cm). Cast off in ribbing decreasing as before.

ARMBANDS: Sew left shoulder seam. With right side of work facing and 3¼ mm needles, pick up and knit 91 sts (M — 95 sts) (L — 103 sts) along sleeve edge.

Work 1¼ ins (3 cm) in (K1. P1) ribbing as given for back beginning and ending on a 2nd row. Cast off in ribbing.

TO MAKE UP: Sew side and sleeve seams. If desired sew beads in position as illustrated on chart. **Do not press.**



Outline Stitch

7. Gentle Charm (shown on back cover)

SIZES AND MATERIALS:

	Small	Medium	Large
Bust measurement	30-32 ins (76-81 cm)	34-36 ins (86- 91 cm)	38-40 ins (97-102 cm)
Finished bust	37 " (94 ")	40 " (102 ")	44 " (112 ")
Length from top of shoulder	22 " (56 ")	23 " (58 ")	24 " (61 ")

Patons Cotton Club (50 g)

6 balls

6 balls

7 balls

Two 3 1/4 mm (U.S. 3) and two 4 mm (U.S. 6) knitting needles or whichever needles you require to produce the tension given below. 1 cable needle or 1 double pointed needle. 2 stitch holders.

TENSION: 22 sts and 30 rows = 4 ins (10 cm) with 4 mm needles in stocking st.

The instructions are written for small size. Any changes necessary for medium size (M) and large size (L) are written in brackets thus:—().

SPECIAL ABBREVIATIONS:

SI 1K = Slip 1 stitch knitways.

C6F = Slip next 3 sts onto a cable needle and leave at front of work. K3, then K3 from cable needle.

BACK: With 3 1/4 mm needles cast on 93 sts (M — 101 sts) (L — 111 sts).

1st row: (Right side). K1. *P1. K1. Repeat from * to end of row.

2nd row: P1. *K1. P1. Repeat from * to end of row.

Repeat these 2 rows (K1. P1) ribbing for 2 1/2 ins (6 cm) ending with right side facing for next row and increasing 9 sts evenly across last row. 102 sts on needle (M — 110 sts) (L — 120 sts).

Change to 4 mm needles and proceed in cable pattern as follows:—

1st row: (Right side). K46 (M — K50) (L — K55). P2. K6. P2. Knit to end of row.

2nd row: P46 (M — P50) (L — P55). K2. P6. K2. Purl to end of row.

3rd row: As 1st row.

4th row: As 2nd row.

5th row: K46 (M — K50) (L — K55). P2. C6F. P2. Knit to end of row.

6th row: As 2nd row.

7th row: As 1st row.

8th row: As 2nd row.

These 8 rows complete one cable pattern.

Continue in cable pattern until back from beginning measures approx 9 1/2 ins (24 cm) ending on a 8th row of pattern.

Proceed in cable eyelet pattern as follows:—

1st row: ~~K44~~ (M — K48) (L — K53). K2tog. Yfwd (eyelet ridge). P2. K6. P2. Yon. SI 1K. K1. psso (eyelet ridge). Knit to end of row.

2nd and alternate rows: P47 (M — P51) (L — P56). K2. P6. K2. Purl to end of row.

3rd row: ~~K43~~ (M — K47) (L — K52). K2tog. Yfwd. K1. P2. K6. P2. K1. Yfwd. SI 1K. K1. psso. Knit to end of row.

5th row: K42 (M — K46) (L — K51). K2tog. Yfwd. K2. P2. C6F. P2. K2. Yfwd. SI 1K. K1. psso. Knit to end of row.

7th row: K41 (M — K45) (L — K50). K2tog. Yfwd. K3. P2. K6. P2. K3. Yfwd. SI 1K. K1. psso. Knit to end of row.

9th row: K40 (M — K44) (L — K49). K2tog. Yfwd. K2. K2tog. Yfwd (eyelet ridge). P2. K6. P2. Yon. SI 1K. K1. psso (eyelet ridge). K2. Yfwd. SI 1K. K1. psso. Knit to end of row.

11th row: K39 (M — K43) (L — K48). K2tog. Yfwd. K2. K2tog. Yfwd. K1. P2. K6. P2. K1. Yfwd. SI 1K. K1. psso. K2. Yfwd. SI 1K. K1. psso. Knit to end of row.

13th row: K38 (M — K42) (L — K47). (K2tog. Yfwd. K2)twice. P2. C6F. P2. (K2. Yfwd. SI 1K. K1. psso)twice. Knit to end of row.

15th row: K37 (M — K41) (L — K46). (K2tog. Yfwd. K2)twice. K1. P2. K6. P2. K1. (K2. Yfwd. SI 1K. K1. psso)twice. Knit to end of row.

16th row: As 2nd row.

Cable eyelet pattern is now in position.

Keeping continuity of established eyelet ridge pattern continue in this manner placing 1 more eyelet ridge into pattern every 8th row until work from beginning measures 19 1/2 ins (50 cm) (M — 20 1/2 ins) (52 cm), (L — 21 1/2 ins) (55 cm) ending with right side facing for next row.

To shape ne
sts (M — 37
edge). Turn
needle.

Work 1 row
Next row: V
at neck edge
(L — 35 sts)

Continue ev
beginning m
ins) (58 cm)
with right si

With right s
sts (M — 4
holder. Joi
(neck edge)

Work to cor
all shapings

FRONT: Wo

NECKBAND
right side o
dies, pick u

39 cm.

Canadian & U.K. Size
Metric Sizes
U.S. Sizes

To shape neck: Next row: Pattern across 28 sts ($M - 31$ sts) ($L - 35$ sts). K2tog (neck edge). **Turn.** Leave remaining sts on a spare needle.

Work 1 row even in pattern.

Next row: Work in pattern decreasing 1 st at neck edge. 28 sts on needle ($M - 31$ sts) ($L - 35$ sts).

Continue even in pattern until work from beginning measures 22 ins (56 cm), ($M - 23$ ins)(58 cm), ($L - 24$ ins)(61 cm) ending with right side facing for next row. Cast off.

With right side of work facing, slip next 42 sts ($M - 44$ sts) ($L - 46$ sts) onto a st holder. Join yarn to remaining sts. K2tog (neck edge). Pattern to end of row.

Work to correspond to other side reversing all shapings.

FRONT: Work exactly as given for back.

NECKBAND: Sew right shoulder seam. With right side of work facing and $3\frac{1}{4}$ mm needles, pick up and knit 13 sts down left front

neck edge. Knit across 42 sts ($M - 44$ sts) ($L - 46$ sts) from front st holder. Pick up and knit 13 sts up right front neck edge and 13 sts down right back neck edge. Knit across 42 sts ($M - 44$ sts) ($L - 46$ sts) from back st holder decreasing 1 st at centre. Pick up and knit 13 sts up left back neck edge. 135 sts on needle ($M - 139$ sts) ($L - 143$ sts).

Work $1\frac{1}{4}$ ins (3 cm) in (K1. P1) ribbing as given for back, beginning and ending on a 2nd row. Cast off in ribbing.

ARMBANDS: Sew left shoulder and neckband seam. Place markers 8 ins (20 cm), ($M - 8\frac{1}{2}$ ins)(22 cm), ($L - 9$ ins)(23 cm) down from shoulder seams. With right side of work facing and $3\frac{1}{4}$ mm needles, pick up and knit 105 sts ($M - 109$ sts) ($L - 115$ sts) evenly between markers.

Work $1\frac{1}{4}$ ins (3 cm) in (K1. P1) ribbing as given for back beginning and ending on a 2nd row. Cast off in ribbing. Sew side and armband seams. **Do not press.**

KNITTING NEEDLE SUGGESTED EQUIVALENT CHART

Canadian & U.K. Sizes	000	00	0	1	2	3	4	5	6	7	8	9	-	10	11	12	13	14	15
Metric Sizes	10	9	8	7½	7	6½	6	5½	5	4½	4	3¾	3½	3¼	3	2¾	2½	2	1¾
U.S. Sizes	15	13	11	-	-	10½	10	9	8	7	6	5	4	3	-	2	1	0	-

Helpful Hints

For best results, be sure to use the yarn recommended in the pattern, and purchase enough of one dye lot to complete your project. It is a good idea to retain ball bands in case of inquiry.

Before you begin to knit, check your tension by making a test swatch and adjusting needle sizes, if necessary, to obtain the tension quoted in the pattern. Inaccurate tension results in a garment too large or too small. Even a variation of half a stitch makes an obvious difference in the finished size. Loose tension can result in the garment losing its shape during wear or laundering. Before beginning, read the instructions and underline all figures applying to your size. Sizes should be chosen from actual bust or chest measurements and not age or ready-to-wear sizes.

Note: Never put an iron directly on synthetic yarns.

If pressing is required before assembly, lay each piece right side down on a clean, flat surface and pin to size using rust proof pins. Cover with a damp cloth and leave to dry.

WASHING INSTRUCTIONS:

Patons Cotton Club: Machine wash. Machine dry.

ABBREVIATIONS

GENERAL

mm	= millimetre(s)
cm	= centimetre(s)
ins	= inch(es)
g	= gram(s)
st	= stitch
inc	= increase
dec	= decrease
0	= no sts, times or rows

* = star symbol is a repeat sign and means that you follow the printed instructions from the first * until you reach the second *. You will then repeat from * to * the given number of times which **does not** include the first time. The ** and *** are used in the same way.

() = The figures inside the brackets mean the instructions for the various sizes in which the garment has been prepared. Brackets can also mean that the enclosed instructions are to be worked the number of times stated after the brackets.

M1 = Make one stitch by picking up horizontal loop lying before next st and working into back of loop.

MACHINE WASHING

Do up buttons and turn the garment inside out. Wash the garment, preferably on its own, with a gentle cycle, using warm water and detergent. Softener may be added to the final rinse. Do not use bleach.

MACHINE DRYING

Tumble dry at a low setting. Do not over-heat.

HANDWASHING

Note the measurements of the garment before washing. Thoroughly dissolve soap or mild detergent in lukewarm water. Place the garment in the suds and squeeze gently. Do not rub or leave to soak. Support the garment with your hands as you remove it from the water. Rinse twice in clean, lukewarm water. Remove excess moisture by rolling in a thick towel. Dry flat.

DRYING FLAT

Do not wring, twist or hang to dry. Lay garment on a flat surface away from lights, sunlight and excessive heat. While still damp, gently push garment back to its original measurements.

KNITTING

K	= knit
P	= purl
KB	= knit through back of st(loop)
PB	= purl through back of st(loop)
tbl	= through back of loop(st)
tog	= together
sl	= slip
psso	= pass slipped st over
Y fwd	= yarn forward
yrn	= yarn round needle
yon	= yarn over needle

Beehive Book No. 414 "Learning to Knit" clearly illustrates all these stitches for the beginner.

U.S. Knitters Please Note:

Canadian and American terminologies differ slightly. Equivalents are shown below.

Canadian	U.S.
yfwd	yarn over (yo)
yrn	yarn over (yo)
tension	gauge
cast off	bind off





 **Patons**



Printed in Canada